

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: IECEx ExTC 18.0001X Issue No: 1 Certificate history:

Status: Current

Page 1 of 4

Issue No. 1 (2019-05-29)

Issue No. 0 (2018-05-12)

Date of Issue: 2019-05-29

Applicant: Eilbeck Cranes

6 Moorlands Road Ingleburn NSW 2565

Australia

Equipment: Flat cable gland - M32, M40, M50 and M63: ECE-SED-*** Series

Optional accessory:

Type of Protection: Increased safety 'eb', Protection by Enclosure 'tb'

Marking:

Ex eb IIC Gb

Ex tb IIIC Db

IP66

Approved for issue on behalf of the IECEx Ajay Maira

Certification Body:

Position: Certification Authority

Signature:

(for printed version) Agay Man

Date: 2019-05-29

- 1. This certificate and schedule may only be reproduced in full.
- 2. This certificate is not transferable and remains the property of the issuing body.
- 3. The Status and authenticity of this certificate may be verified by visiting the Official IECEx Website.

Certificate issued by:

Ex Testing and Certification Pty Ltd 1/30 Kennington Drive Tomago NSW 2322 Australia





of Conformity

Certificate No: IECEx ExTC 18.0001X Issue No: 1

Date of Issue: 2019-05-29 Page 2 of 4

Manufacturer: Eilbeck Cranes

53 Lancaster St, Ingleburn NSW 2565

Australia

Additional Manufacturing location(s):

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

STANDARDS:

The apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

IEC 60079-0 : 2011 Explosive atmospheres - Part 0: General requirements

Edition:6.0

IEC 60079-31 : 2013 Explosive atmospheres - Part 31: Equipment dust ignition protection by enclosure "t"

Edition:2

IEC 60079-7: 2015 Explosive atmospheres – Part 7: Equipment protection by increased safety "e"

Edition:5.0

This Certificate **does not** indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in

Test Report:

AU/EXTC/ExTR18.0003/00 AU/EXTC/ExTR19.0008/00

Quality Assessment Report:

AU/EXTC/QAR18.0002/01



Certificate No:	IECEx ExTC 18.0001X	Issue No: 1
Date of Issue:	2019-05-29	Page 3 of 4
	Schedule	
EQUIPMENT:		
	covered by this certificate are as follows:	
, ,	,	
M63, M50, M40, M32 all wi east 4 screws at a minimu thick and have a slightly co	ith a 1.5mm pitch. The cable has a silicon sealing rin	III explosive environments. The entry thread sizes include g which is compressed with slotted washers by a collar with at is by the use of two independent clamping jaws that are 6mm ess specified in the conditions of use the clamping
Γhe range of glands has a	service temperature range of -40 ^o C to 130 ^o C.	
A Nylon IP sealing ring pro	vides Ingress Protection to the enclosure.	
See Annexe for more detai	3	
see Annexe for more detai	ils.	
SPECIFIC CONDITIONS	OF USE: YES as shown below:	
Refer to the Annex for deta	ails	



Certificate No: IECEx ExTC 18.0001X Issue	No: 1
---	-------

Date of Issue: 2019-05-29 Page 4 of 4

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above):

Refer to the Annex for details.

Annex:

IECEx_ExTC_18.0001X-1 Certificate Annex Final.pdf



Annexe




Annexe for Certificate No.: IECEx ExTC 18.0001X Issue No.: 1

Description (continued from certificate):

The range of glands include the following:

Cland Size	Cable Width		Cable Width		eight
Gland Size	Thread Size	Max Min		Max	Min
ECE-SED-100	M63x1.5	47.5mm	34.5mm	15.5mm	5.0mm
ECE-SED-200	M50x1.5	36.9mm	36.9mm 27.5mm		6.4mm
ECE-SED-300	M40x1.5	29.1mm	17.0mm	10.3mm	4.5mm
ECE-SED-400	M32x1.5	22.0mm	14.5mm	7.8mm	4.5mm



M50 Style Gland



Annexe



Annexe for Certificate No.: IECEx ExTC 18.0001X Issue No.: 1

Specific Conditions of Use pertaining to Issue 0 of this Certificate:

1. Flat cables with the following dimensional ranges are to be used:

Gland	Wid	th	Height		
Giand	Max	Min	Max	Min	
ECE-SED-100	47.5mm	43.5mm	7.2mm	6.0mm	
ECE-SED-200	33.9mm	31.0mm	7.8mm	6.6mm	
ECE-SED-201	33.1mm	30.0mm	11.0mm	9.9mm	
ECE-SED-300	29.1mm	26.1mm	6.4mm	5.4mm	
ECE-SED-301	28.0mm	25.4mm	10.3mm	8.7mm	
ECE-SED-302	25.3mm	23.0mm	9.4mm	8.0mm	
ECE-SED-400	20.7mm	18.7mm	7.8mm	6.6mm	
ECE-SED-401	17.3mm	15.6mm	6.4mm	5.4mm	

- 2. The clamping screws for ECE-SED-201, ECE-SED-301 and ECE-SED-302 shall have a minimum torque of 1Nm applied.
- 3. Cables shall not be allowed to enter the cable clamp at angles greater than ±30°.
- 4. The equipment may be used in the ambient temperature range of -40°C to 130°C.

Drawing list pertaining to Issue 0 of this Certificate:

Manufacturer's Documents

Title:	Drawing No.:	Pages	Rev. Level:	Date:
Ex M63 CABLE GLANDS CABLE (43.5 x 6 – 47.5 x 7.2) ASSEMBLY	ECE-SED-100	1	2	2018-04-20
Ex CABLE GLANDS M63 CABLE GLAND MAIN BODY MACHINING	ECE-SED-111	1	1	2018-03-08
Ex CABLE GLAND M63 CABLE GLAND TOP BODY MACHINING	ECE-SED-112	1	0	2016-10-26
Ex CABLE GLANDS M63 CABLE GLAND CLAMP JAW 1 FABRICATION/MACHINING	ECE-SED-113	1	0	2016-10-26



Annexe



Title:	Drawing No.:	Pages	Rev. Level:	Date:
Ex CABLE GLANDS M63 CABLE GLAND CLAMP JAW 2 FABRICATION/MACHINING	ECE-SED-114	1	0	2016-10-26
Ex M63 CABLE GLANDS WASHER PL-CABLE (43.5x6 – 47.5x7.2) PROFILING	ECE-SED-115	1	0	2016-10-26
Ex M63 CABLE GLANDS RUBBER INSERT-CABLE (43.5x6 – 47.5x7.2) PROFILING	ECE-SED-116	1	1	2017-03-28
Ex M50 CABLE GLANDS CABLE (31x6.6 – 33.9x7.8) ASSEMBLY	ECE-SED-200	1	2	2018-04-20
Ex M50 CABLE GLANDS CABLE (30x9.9 – 33.1x11) ASSEMBLY	ECE-SED-201	1	2	2018-04-20
Ex CABLE GLANDS M50 CABLE GLAND MAIN BODY MACHINING	ECE-SED-211	1	0	2016-10-26
Ex CABLE GLANDS M50 CABLE GLAND TOP BODY MACHINING	ECE-SED-212	1	0	2016-10-26
Ex CABLE GLANDS M50 CABLE GLAND CLAMP JAW 1 FABRICATION/MACHINING	ECE-SED-213	1	0	2016-10-26
Ex CABLE GLANDS M50 CABLE GLAND CLAMP JAW 2 FABRICATION/MACHINING	ECE-SED-214	1	0	2016-10-26
Ex M50 CABLE GLANDS WASHER PL-CABLE (31x6.6 – 33.9x7.8) PROFILING	ECE-SED-215	1	0	2016-10-26
Ex M50 CABLE GLANDS RUBBER INSERT-CABLE (31x6.6 – 33.9x7.8) PROFILING	ECE-SED-216	1	1	2017-03-28
Ex M50 CABLE GLANDS WASHER PL-CABLE (30x9.9 – 33.1x11) PROFILING	ECE-SED-217	1	0	2016-10-26
Ex M50 CABLE GLANDS RUBBER INSERT-CABLE (30x9.9 – 33.1x11) PROFILING	ECE-SED-218	1	1	2017-03-28



Annexe



Title:	Drawing No.:	Pages	Rev. Level:	Date:
Ex M40 CABLE GLANDS CABLE (26.1x5.4 – 29.1x6.4) ASSEMBLY	ECE-SED-300	1	2	2018-04-20
Ex M40 CABLE GLANDS CABLE (25.4x8.7 – 28x10.3) ASSEMBLY	ECE-SED-301	1	2	2018-04-20
Ex M40 CABLE GLANDS CABLE (23x8 – 25.3x9.4) ASSEMBLY	ECE-SED-302	1	2	2018-04-20
Ex CABLE GLANDS M40 CABLE GLAND MAIN BODY MACHINING	ECE-SED-311	1	0	2016-10-26
Ex CABLE GLAND M40 CABLE GLAND TOP BODY MACHINING	ECE-SED-312	1	1	2018-03-16
Ex CABLE GLANDS M40 CABLE GLAND CLAMP JAW 1 FABRICATION/MACHINING	ECE-SED-313	1	0	2016-10-26
Ex CABLE GLANDS M40 CABLE GLAND CLAMP JAW 2 FABRICATION/MACHINING	ECE-SED-314	1	0	2016-10-26
Ex M40 CABLE GLANDS WASHER PL-CABLE (26.1x5.4 – 29.1x6.4) PROFILING	ECE-SED-315	1	0	2016-10-26
Ex M40 CABLE GLANDS RUBBER INSERT-CABLE (26.1x5.4 – 29.1x6.4) PROFILING	ECE-SED-316	1	0	2016-10-26
Ex M40 CABLE GLANDS WASHER PL-CABLE (25.4x8.7 – 28x10.3) PROFILING	ECE-SED-317	1	0	2016-10-26
Ex M40 CABLE GLANDS RUBBER INSERT-CABLE (25.4x8.7 – 28x10.3) PROFILING	ECE-SED-318	1	0	2016-10-26
Ex M40 CABLE GLANDS WASHER PL-CABLE (23x8 – 25.3x9.4) PROFILING	ECE-SED-319	1	0	2016-10-26
Ex M40 CABLE GLANDS RUBBER INSERT-CABLE (23x8 – 25.3x9.4) PROFILING	ECE-SED-320	1	1	2017-03-28



Annexe



Title:	Drawing No.:	Pages	Rev. Level:	Date:
Ex M32 CABLE GLANDS CABLE (18.7x6.6-20.7x7.8) ASSEMBLY	ECE-SED-400	1	2	2018-04-20
Ex M32 CABLE GLANDS CABLE (15.6x5.4-17.3x6.4) ASSEMBLY	ECE-SED-401	1	2	2018-04-20
Ex CABLE GLANDS M32 CABLE GLAND MAIN BODY MACHINING	ECE-SED-411	1	0	2016-10-26
Ex CABLE GLAND M32 CABLE GLAND TOP BODY MACHINING	ECE-SED-412	1	1	2018-03-16
Ex CABLE GLANDS M32 CABLE GLAND CLAMP JAW 1 FABRICATION/MACHINING	ECE-SED-413	1	0	2016-10-26
Ex CABLE GLANDS M32 CABLE GLAND CLAMP JAW 2 FABRICATION/MACHINING	ECE-SED-414	1	0	2016-10-26
Ex M32 CABLE GLANDS WASHER PL-CABLE (18.7x6.6-20.7x7.8) PROFILING	ECE-SED-415	1	0	2016-10-26
Ex M32 CABLE GLANDS RUBBER INSERT-CABLE (18.7x6.6-20.7x7.8) PROFILING	ECE-SED-416	1	1	2017-03-28
Ex M32 CABLE GLANDS WASHER PL-CABLE (15.6x5.4-17.3x6.4) PROFILING	ECE-SED-417	1	0	2016-10-26
Ex M32 CABLE GLANDS RUBBER INSERT-CABLE (15.6x5.4-17.3x6.4) PROFILING	ECE-SED-418	1	1	2017-03-28
Installation, Operating and Maintenance Manual for Ex Flat Cable Gland	ESH-IOM-008	9	0	2018-03-23



Annexe



Annexe for Certificate No.: IECEx ExTC 18.0001X Issue No.: 1

Variations permitted by Issue 1 of this certificate:

- 1. Added additional grommet sizes to the range of glands.
- 2. All previous drawings have been replaced with the ones listed in this issue of the certificate.
- 3. All specific conditions of use have been superseded by the ones listed in this issue of the certificate.
- 4. The description has been updated to reflect cable ranges.

Specific Conditions of Use pertaining to Issue 1 of this certificate:

1. Flat cables with the following dimensional ranges are to be used:

Gland Size	Thread Size	Cable Width		Cable Height	
Giand Size	i nread Size	Max	Max Min		Min
ECE-SED-100	M63x1.5	47.5mm	34.5mm	15.5mm	5.0mm
ECE-SED-200	M50x1.5	36.9mm	27.5mm	11.5mm	6.4mm
ECE-SED-300	M40x1.5	29.1mm	17.0mm	10.3mm	4.5mm
ECE-SED-400	M32x1.5	22.0mm	14.5mm	7.8mm	4.5mm

Note: The cable sizes above rely on the correct cable grommets to be fitted in the appropriate gland body. Refer to manufacturer's documents for details.

- 2. The sealing grommet compression screws for all glands shall have a minimum torque of 1Nm applied.
- 3. When not specified the clamping screws shall have a minimum torque of 2.5Nm.
- 4. Cables shall not be allowed to enter the cable clamp at angles greater than ±30°.
- 5. The equipment may be used in the ambient temperature range of -40°C to 130°C.

<u>Drawings Associated with the Issue 1 of this Certificate:</u>

Manufacturer's Documents Title: Drawing No.: Pages Rev. Level: Date: Ex M63 CABLE GLANDS ARRANGEMENT AND ASSEMBLY DRAWING ASSEMBLY



Annexe



Title:	Drawing No.:	Pages	Rev. Level:	Date:
Ex CABLE GLANDS				
M63 CABLE GLAND MAIN BODY MACHINING	ECE-DMS-111	1	1	2018-07-10
Ex CABLE GLANDS				
M63 CABLE GLAND TOP BODY MACHINING	ECE-DMS-112	1	1	2018-07-10
Ex CABLE GLANDS				
M63 CABLE GLAND CLAMP JAW 1 FABRICATION/MACHINING	ECE-DMS-113	1	1	2018-07-10
Ex CABLE GLANDS				
M63 CABLE GLAND CLAMP JAW 2 FABRICATION/MACHINING	ECE-DMS-114	1	1	2018-07-10
Ex M63 CABLE GLANDS WASHERS PL-CABLE PROFILING	ECE-DMS-115	1	2	2019-05-20
Ex M63 CABLE GLANDS RUBBER INSERT-CABLE PROFILING	ECE-DMS-116	1	3	2019-05-20
Ex M50 CABLE GLANDS				
ARRAGEMENT AND ASSEMBLY DRAWING ASSEMBLY	ECE-DMS-200	1	2	2019-05-20
Ex CABLE GLANDS				
M50 CABLE GLAND MAIN BODY MACHINING	ECE-DMS-211	1	1	2018-07-10
Ex CABLE GLANDS				
M50 CABLE GLAND TOP BODY MACHINING	ECE-DMS-212	1	1	2018-07-10
Ex CABLE GLANDS				
M50 CABLE GLAND CLAMP JAW 1 FABRICATION/MACHINING	ECE-DMS-213	1	1	2018-07-10
Ex CABLE GLANDS				
M50 CABLE GLAND CLAMP JAW 2 FABRICATION/MACHINING	ECE-DMS-214	1	1	2018-07-10
Ex M50 CABLE GLANDS	FOE DMC 045	4	-	2010 05 00
WASHER PL-CABLE PROFILING	ECE-DMS-215	1	2	2019-05-20



Annexe



Title:	Drawing No.:	Pages	Rev. Level:	Date:
Ex M50 CABLE GLANDS RUBBER INSERT-CABLE	ECE-DMS-216	1	3	2019-05-20
PROFILING				
Ex M40 CABLE GLANDS		1	3	2019-05-20
ARRANGEMENT AND ASSEMBLY DRAWING ASSEMBLY	ECE-DMS-300			
Ex CABLE GLANDS				
M40 CABLE GLAND MAIN BODY MACHINING	ECE-DMS-311	1	1	2018-07-10
Ex CABLE GLANDS				
M40 CABLE GLAND TOP BODY MACHINING	ECE-DMS-312	1	1	2018-07-10
Ex CABLE GLANDS				
M40 CABLE GLAND CLAMP JAW 1 FABRICATION/MACHINING	ECE-DMS-313	1	1	2018-07-10
Ex CABLE GLANDS				
M40 CABLE GLAND CLAMP JAW 2 FABRICATION/MACHINING	ECE-DMS-314	1	1	2018-07-10
Ex M40 CABLE GLANDS	ECE-DMS-315	1	2	2019-05-20
WASHER PL-CABLE PROFILING	EGE BING 010	'		2010 00 20
Ex M40 CABLE GLANDS			_	
RUBBER INSERT-CABLE PROFILING	ECE-DMS-316	1	2	2019-05-20
Ex M32 CABLE GLANDS				
ARRANGEMENT AND ASSEMBLY DRAWING ASSEMBLY	ECE-DMS-400	1	2	2019-05-20
Ex CABLE GLANDS				
M32 CABLE GLAND MAIN BODY MACHINING	ECE-DMS-411	1	1	2018-07-10
Ex CABLE GLANDS				
M32 CABLE GLAND TOP BODY MACHINING	ECE-DMS-412	1	1	2018-07-10



Annexe



Title:	Drawing No.:	Pages	Rev. Level:	Date:
Ex CABLE GLANDS				
M32 CABLE GLAND CLAMP JAW 1 FABRICATION/MACHINING	ECE-DMS-413	1	1	2018-07-10
Ex CABLE GLANDS				
M32 CABLE GLAND CLAMP JAW 2 FABRICATION/MACHINING	ECE-DMS-414	1	1	2018-07-10
Ex M32 CABLE GLANDS	ECE-DMS-415	1	2	2019-05-20
WASHER PL CABLE PROFILING	ECE-DIVIS-413	-	2	2019-03-20
Ex M32 CABLE GLANDS				
RUBBER INSERT-CABLE PROFILING	ECE-DMS-416	1	3	2019-05-20
Installation, Operating & Maintenance Manual - Ex Flat Cable Gland	ESH-FCG-IOM-001	9	2	-